# INDEX TO AUTHORS


AIRTH, R. L., and BLINKS, L. R. Properties of phycobilins from *Porphyra naiadum*, 77

—. See BLINKS and AIRTH, 383

ALTAMIRANO-ORREGO, RAFAEL. See LOEWENSTEIN and ALTAMIRANO-ORREGO, 805

AMATNIEK, E., FREYGANG, W. H., JR., GRUNDFEST, H., KIEBEL, G., and SHANES, A. The effect of temperature, potassium, and sodium on the conductance change accompanying the action potential in the squid giant axon, 333

ANDERSON, JOHN. See LEAF, ANDERSON, and PAGE, 657

APPELBOOM, JOHANNES W. TH., BRODSKY, WILLIAM A., TUTTLE, WILLIAM S., and DIAMOND, ISRAEL. The freezing point depression of mammalian tissues after sudden heating in boiling distilled water, 1153

ASANO, TOMOAKI, and HURLBUT, W. P. Effects of potassium, sodium, and azide on the ionic movements that accompany activity in frog nerves, 1187

BAER, BEATRICE S. See RALSTON, BAER, LIEBERMAN, and KRUEGER, 343

BARLOW, JAMES L. See HERRIOTT and BARLOW, 307

BERGER, EUGENE Y., AND STEELE, J. MURRAY. The calculation of transfer rates in two compartment systems not in dynamic equilibrium, 1135

BERGERSEN, F. J., and MERZ, B. E. A modified capillary microrespirometer, 669

BERGLUND, FREDRIK, and FORSTER, ROY P. Renal tubular transport of inorganic divalent ions by the aglomerular marine teleost, *Lophius americanus*, 429

BLINKS, L. R., and AIRTH, R. L. Electroosmosis in *Nitella*, 383

—. See AIRTH and BLINKS, 77

—. See YOCUM and BLINKS, 1113

BRINER, G. P., SIMON, SHIRLEY E., and SHAW, F. H. The distribution of inorganic phosphate in amphibian muscle, 755

BRODSKY, WILLIAM A. See APPELBOOM, BRODSKY, TUTTLE, and DIAMOND, 1153

BRONNER, FELIX. Disposition of intraperitoneally injected calcium-45 in suckling rats, 767

BRUCE, A. K. Response of potassium retentivity and survival of yeast to far-ultraviolet, near-ultraviolet and visible, and x-radiation, 693

BRYANT, S. H. Transmission in squid giant synapses. The importance of oxygen supply and the effects of drugs, 473

CASTAÑEDA-AGULLÓ, M., and DEL CASTILLO, LUZ M. Simultaneous hydrolyses of esters and proteins at saturation levels, 485

CASTLE, EDWARD S. The topography of tip growth in a plant cell, 913

CRANEFIELD, PAUL F., and HOFFMAN, BRIAN F. Propagated repolarization in heart muscle, 633

CSAPO, ARPAD, and SUZUKI, TAIZO. The effectiveness of the longitudinal field, coupled with depolar-

ization in activating frog twitch muscles, 1083
CURRAN, PETER F., and SOLOMON, A. K. Ion and water fluxes in the ileum of rats, 143

DALTON, JOHN C. Effects of external ions on membrane potentials of a lobster giant axon, 529
DEL CASTILLO, LUZ M. See CASTAÑEDA-AGULLÓ and DEL CASTILLO, 485
DEYRUP, INGRITH J. Factors influencing the uptake and loss of radiosulfate by rat renal cortical tissue *in vitro*, 49
DIAMOND, ISRAEL. See APPELBOOM, BRODSKY, TUTTLE, and DIAMOND, 1153
DOSS, NORMA S. See HUF, DOSS, and WILLS, 397
DOUNCE, ALEXANDER L. See MONTY and DOUNCE, 595
DURBIN, RICHARD P., and HEINZ, ERICH. Electromotive chloride transport and gastric acid secretion in the frog, 1035
—. See HEINZ and DURBIN, 101
DWORKIN, MARTIN. Endogenous photosensitization in a carotenoidless mutant of *Rhodopseudomonas spheroides*, 1099

EPPLEY, RICHARD W. Sodium exclusion and potassium retention by the red marine alga, *Porphyra perforata*, 901

FEIGELSON, MURIEL, FEIGELSON, PHILIP, and GROSS, PAUL R. Xanthine oxidase activity in regenerating liver, 233
FEIGELSON, PHILIP. See FEIGELSON, FEIGELSON, and GROSS, 233
FITZHUGH, RICHARD. A statistical analyzer for optic nerve messages, 675
FORSTER, ROY P. See BERGLUND and FORSTER, 429
FRAENKEL, G. See ITO and FRAENKEL, 279
FREYGANG, W. H., JR. An analysis of extracellular potentials from single neurons in the lateral geniculate nucleus of the cat, 543
—. See AMATNIEK, FREYGANG, GRUNDFEST, KIEBEL, and SHANES, 333

GASSER, HERBERT S. The post-spike positivity of unmedullated fibers of dorsal root origin, 613
GERSCHMAN, REBECA. See GILBERT, GERSCHMAN, RUHM, and PRICE, 989
GILBERT, DANIEL L., GERSCHMAN, REBECA, RUHM, K. BARCLAY, and PRICE, WILLIAM E. The production of hydrogen peroxide by high oxygen pressures, 989
GO, ING GAN. See KRUEGER, SMITH, and GO, 359
GOLDSMITH, TIMOTHY H., and RUCK, PHILIP R. The spectral sensitivities of the dorsal ocelli of cockroaches and honeybees. An electrophysiological study, 1171
GOODGAL, SOL H. See RUPERT, GOODGAL, and HERRIOTT, 451
GRACE, T. D. C. The prolonged growth and survival of ovarian tissue of the promethea moth (*Callosamia promethea*) *in vitro*, 1027
GROSS, PAUL R. See FEIGELSON, FEIGELSON, and GROSS, 233
GRUNDFEST, H. See AMATNIEK, FREYGANG, GRUNDFEST, KIEBEL, and SHANES, 333

HAFF, R. F., and SWIM, H. E. The amino acid requirements of rabbit fibroblasts, strain RM3-56, 91
HAGIWARA, SUSUMU. Synaptic potential in the motor giant axon of the crayfish, 1119

HARA, TOMIYUKI. The effect of illumination on the electrical conductance of rhodopsin solutions, 857

HARRIS, E. J. Permeation and diffusion of K ions in frog muscle, 169

— and PRANKERD, T. A. J. Diffusion and permeation of cations in human and dog erythrocytes, 197

HARTLINE, H. K., and RATLIFF, FLOYD. Spatial summation of inhibitory influences in the eye of *Limulus*, and the mutual interaction of receptor units, 1049

HAYES, A. See ROTHSTEIN, HAYES, JENNINGS, and HOOPER, 585

HEINZ, ERICH, and DURBIN, RICHARD P. Studies of the chloride transport in the gastric mucosa of the frog, 101

—. See DURBIN and HEINZ, 1035

HEMPLING, H. G. Potassium and sodium movements in the Ehrlich mouse ascites tumor cell, 565

HERRIOTT, ROGER M., and BARLOW, JAMES L. The protein coats or "ghosts" of coliphage T2. II. The biological functions, 307

—. See LEHMAN and HERRIOTT, 1067

—. See RUPERT, GOODGAL, and HERRIOTT, 451

HOFFMAN, BRIAN F. See CRANEFIELD and HOFFMAN, 633

HOOPER, D. C. See JENNINGS, HOOPER, and ROTHSTEIN, 1019

—. See ROTHSTEIN, HAYES, JENNINGS, and HOOPER, 585

HUBBARD, RUTH, and ST. GEORGE, ROBERT C. C. The rhodopsin system of the squid, 501

HUF, ERNST G., DOSS, NORMA S., and WILLS, JOYCE P. Effects of metabolic inhibitors and drugs on ion transport and oxygen consumption in isolated frog skin, 397

HURLBUT, W. P. Effects of azide and chloretone on the sodium and potassium contents and the respiration of frog sciatic nerves, 959

—. See ASANO and HURLBUT, 1187

ITO, TOSHIO, and FRAENKEL, G. γ-Butyrobetaine as a specific antagonist for carnitine in the development of the early chick embryo, 279

JENNINGS, D. H., HOOPER, D. C., and ROTHSTEIN, A. The participation of phosphate in the formation of a "carrier" for the transport of $Mg^{++}$ and $Mn^{++}$ into yeast cells, 1019

—. See ROTHSTEIN, HAYES, JENNINGS, and HOOPER, 585

KAVANAU, J. LEE. See WEISS and KAVANAU, 1

KIEBEL, G. See AMATNIEK, FREYGANG, GRUNDFEST, KIEBEL, and SHANES, 333

KING, MARIE. See NORTHROP, 131

KISHIMOTO, UICHIRO. Rhythmicity in the protoplasmic streaming of a slime mold, *Physarum polycephalum*. I. A statistical analysis of the electric potential rhythm, 1205

—. II. Theoretical treatment of the electric potential rhythm, 1223

KLEBANOFF, S. J. The effect of x-radiation on the glutathione metabolism of intact erythrocytes *in vitro*, 725

—. The relationship of hydrogen peroxide to the inhibition of the glyoxalase activity of intact erythrocytes by x-radiation, 737

KOBLICK, DANIEL C. The characterization and localization of frog skin cholinesterase, 1129

KORNER, A., and TARVER, H. Studies on protein synthesis *in vitro*. VI.

Incorporation and release of amino acids in particulate preparations from livers of rats, 219
KRUEGER, ALBERT P., SMITH, R. F., and GO, ING GAN. The action of air ions on bacteria. I. Protective and lethal effects on suspensions of staphylococci in droplets, 359
—. See RALSTON, BAER, LIEBERMAN, and KRUEGER, 343
KUNITZ, M. See NORTHROP and KUNITZ, 119

LEAF, ALEXANDER, ANDERSON, JOHN, and PAGE, LOT B. Active sodium transport by the isolated toad bladder, 657
LEHMAN, I. R., and HERRIOTT, ROGER M. The protein coats or "ghosts" of coliphage T2. III. Metabolic studies of *Escherichia coli* B infected with T2 bacteriophage "ghosts," 1067
LIEBERMAN, MIRIAM. See RALSTON, BAER, LIEBERMAN, and KRUEGER, 343
LLOYD, DAVID P. C. Input-output relation in a flexor reflex, 297
LOEWENSTEIN, WERNER R. Facilitation by previous activity in a Pacinian corpuscle, 847
—. Generator processes of repetitive activity in a Pacinian corpuscle, 825
— and ALTAMIRANO-ORREGO, RAFAEL. The refractory state of the generator and propagated potentials in a Pacinian corpuscle, 805
— and RATHKAMP, RAQUEL. The sites for mechano-electric conversion in a Pacinian corpuscle, 1245

MERZ, B. E. See BERGERSEN and MERZ, 669
MONTY, KENNETH J., and DOUNCE, ALEXANDER L. The properties and the enzymatic degradation of deoxyribonucleoprotein from liver cell nuclei, 595

NEVIS, ARNOLD H. Water transport in invertebrate peripheral nerve fibers, 927
NICKERSON, WALTER J. See WARD and NICKERSON, 703
NORTHROP, JOHN H. The proportion of terramycin-resistant mutants in *Bacillus megatherium* cultures, 131
— and KUNITZ, M. The proportion of mutants in bacterial cultures, 119

PAGANELLI, C. V., and SOLOMON, A. K. The rate of exchange of tritiated water across the human red cell membrane, 259
PAGE, LOT B. See LEAF, ANDERSON, and PAGE, 657
PERLMANN, GERTRUDE E. Enzymic dephosphorylation of pepsin and pepsinogen, 441
PONDER, ERIC, and PONDER, RUTH V. A progressive reaction occurring with a radioactive hemolysin, sodium oleate-$I^{131}$, 609
— and —. A zone phenomenon and a progressive reaction occurring with a radioactive hemolysin, sodium erucate-$I^{131}$, 651
PONDER, RUTH V. See PONDER and PONDER, 609, 651
PRANKERD, T. A. J. See HARRIS and PRANKERD, 197
PRICE, WILLIAM E. See GILBERT, GERSCHMAN, RUHM, and PRICE, 989

RALSTON, DORIS J., BAER, BEATRICE S., LIEBERMAN, MIRIAM, and KRUEGER, ALBERT P. Lysis from without of *Staphylococcus aureus* $K_1$ by the combined action of phage and virolysin, 343
RATHKAMP, RAQUEL. See LOEWENSTEIN and RATHKAMP, 1245
RATLIFF, FLOYD. See HARTLINE and RATLIFF, 1049
ROSENBERG, THOMAS, and WILBRANDT, W. Uphill transport induced by counterflow, 289

ROTHSTEIN, A., HAYES, A., JENNINGS, D. H., and HOOPER, D. C. The active transport of $Mg^{++}$ and $Mn^{++}$ into the yeast cell, 585
—. See JENNINGS, HOOPER, and ROTHSTEIN, 1019
RUCK, PHILIP R. See GOLDSMITH and RUCK, 1171
RUHM, K. BARCLAY. See GILBERT, GERSCHMAN, RUHM, and PRICE, 989
RUPERT, CLAUD S., GOODGAL, SOL H., and HERRIOTT, ROGER M. Photoreactivation *in vitro* of ultraviolet-inactivated *Haemophilus influenzae* transforming factor, 451
RUSHTON, W. A. H. Blue light and the regeneration of human rhodopsin *in situ*, 419

ST. GEORGE, ROBERT C. C. See HUBBARD and ST. GEORGE, 501
SHANES, A. See AMATNIEK, FREYGANG, GRUNDFEST, KIEBEL, and SHANES, 333
SHAW, F. H. See BRINER, SIMON, and SHAW, 755
SIDEL, VICTOR W., and SOLOMON, A. K. Entrance of water into human red cells under an osmotic pressure gradient, 243
SIMON, SHIRLEY E. See BRINER, SIMON, and SHAW, 755
SLADE, HUTTON D. Studies on *Streptococcus pyogenes*. III. The effect of trypsin and a cationic detergent on the structure, permeability, and metabolism of the cell, 63
SMITH, R. F. See KRUEGER, SMITH, and GO, 359
SOLOMON, A. K. See CURRAN and SOLOMON, 143
—. See PAGANELLI and SOLOMON, 259
—. See SIDEL and SOLOMON, 243
STEELE, J. MURRAY. See BERGER and STEELE, 1135
SUZUKI, TAIZO. See CSAPO and SUZUKI, 1083
SWIM, H. E. See HAFF and SWIM, 91

TARVER, H. See KORNER and TARVER, 219
TUTTLE, WILLIAM S. See APPELBOOM, BRODSKY, TUTTLE, and DIAMOND, 1153

VAN DER KLOOT, WILLIAM G. The effect of enzyme inhibitors on the resting potential and on the ion distribution of the sartorius muscle of the frog, 879

WARD, JOHN M., and NICKERSON, WALTER J. Respiratory metabolism of normal and divisionless strains of *Candida albicans*, 703
WEISS, PAUL, and KAVANAU, J. LEE. A model of growth and growth control in mathematical terms, 1
WILBRANDT, W. See ROSENBERG and WILBRANDT, 289
WILLS, JOYCE P. See HUF, DOSS, and WILLS, 397
WILSON, VICTOR J. Early posttetanic potentiation and low frequency depression of some group I reflex actions, 1005
WITTENBERG, JONATHAN B. The secretion of inert gas into the swimbladder of fish, 783

YOCUM, C. S., and BLINKS, L. R. Light-induced efficiency and pigment alterations in red algae, 1113

ZAMUDIO, I. See LOEWENSTEIN and RATHKAMP, 1245

# INDEX TO SUBJECTS


ACID, amino, requirements of rabbit fibroblasts, strain RM3-56, 91
— secretion, gastric, and electromotive chloride transport in frog, 1035
Acids, amino, incorporation and release in particulate preparations from rat livers, 219
Aglomerular marine teleost, *Lophius americanus*, renal tubular transport of inorganic divalent ions by, 429
Air ions, action on bacteria, protective and lethal effects on staphylococci suspensions in droplets, 359
Alga, marine, red, *Porphyra perforata*, sodium exclusion and potassium retention, 901
Algae, red, light-induced efficiency and pigment alterations in, 1113
Amino acid requirements of rabbit fibroblasts, strain RM3-56, 91
— acids, incorporation and release in particulate preparations from rat livers, 219
Amphibian muscle, distribution of inorganic phosphate in, 755
Ascites tumor cell, Ehrlich mouse, potassium and sodium movements in, 565
Axon, giant, lobster, effects of external ions on membrane potentials, 529
—, giant, motor, crayfish, synaptic potential, 1119
—, giant, squid, effect of temperature, potassium, and sodium on conductance change accompanying action potential in, 333
Azide and chloretone, effects on sodium and potassium contents and respiration of frog sciatic nerves, 959
Azide, potassium, and sodium, effects on ionic movements accompanying activity in frog nerves, 1187

BACILLUS *megatherium* cultures, proportion of terramycin-resistant mutants, 131
Bacteria, action of air ions on, protective and lethal effects on staphylococci suspensions in droplets, 359
Bacterial cultures, proportion of mutants, 119
Bacteriophage T2 ghosts, metabolic studies of *Escherichia coli* B infected with, 1067
— and virolysin, lysis from without of *Staphylococcus aureus* $K_1$ by combined action, 343
Betaine, γ-butyro-, as specific antagonist for carnitine in early chick embryo development, 279
Biological functions of protein coats or ghosts of coliphage T2, 307
Bladder, swim-, fish, secretion of inert gas into, 783
—, toad, isolated, active sodium transport by, 657
Blood cells, red. *See* Erythrocytes.
Butyrobetaine, γ-, as specific antagonist for carnitine in early chick embryo development, 279

CALCIUM, irradiated, intraperitoneally injected, disposition in suckling rats, 767
*Callosamia promethea*, prolonged growth and survival of ovarian tissue *in vitro*, 1027
*Candida albicans*, normal and division-

less strains, respiratory metabolism, 703
Capillary microrespirometer, modified, 669
Carnitine in early chick embryo development, γ-butyrobetaine as specific antagonist for, 279
Carotenoidless mutant of *Rhodopseudomonas spheroides*, endogenous photosensitization, 1099
Cationic detergent and trypsin, effect on structure, permeability, and metabolism of *Streptococcus pyogenes* cell, 63
Cations in human and dog erythrocytes, diffusion and permeation, 197
Cell nuclei, liver, properties and enzymatic degradation of deoxyribonucleoprotein from, 595
—, plant, topography of tip growth, 913
—, *Streptococcus pyogenes*, structure, permeability, and metabolism, effect of trypsin and cationic detergent, 63
—, tumor, Ehrlich mouse ascites, potassium and sodium movements in, 565
—, yeast, active transport of magnesium cations and manganese cations into, 585
Cells, blood, red. *See* Erythrocytes.
—, yeast, participation of phosphate in carrier formation for transport of magnesium cations and manganese cations into, 1019
Chloretone and azide, effects on sodium and potassium contents and respiration of frog sciatic nerves, 959
Chloride transport, electromotive, and gastric acid secretion in frog, 1035
— transport in frog gastric mucosa, 101
Cholinesterase, frog skin, characterization and localization, 1129
Cockroaches and honeybees, electrophysiological study of spectral sensitivities of dorsal ocelli, 1171
Coliphage T2, protein coats or ghosts, biological functions, 307
— T2, protein coats or ghosts, metabolic studies of *Escherichia coli* B infected with T2 bacteriophage ghosts, 1067
Conductance change accompanying action potential in squid giant axon, effect of temperature, potassium, and sodium, 333
—, electrical, rhodopsin solutions, effect of illumination, 857
Corpuscle, Pacinian, facilitation by previous activity in, 847
—, Pacinian, generator processes of repetitive activity in, 825
—, Pacinian, refractory state of generator and propagated potentials in, 805
—, Pacinian, sites for mechano-electric conversion in, 1245
Cortical tissue, renal, rat, factors influencing *in vitro* uptake and loss of radiosulfate, 49
Counterflow, uphill transport induced by, 289
Crayfish, motor giant axon, synaptic potential, 1119
Cultivation, *Bacillus megatherium*, proportion of terramycin-resistant mutants, 131
—, bacterial, proportion of mutants in, 119

DEOXYRIBONUCLEOPROTEIN from liver cell nuclei, properties and enzymatic degradation, 595
Dephosphorylation, enzymic, of pepsin and pepsinogen, 441
Depolarization in activating frog twitch muscles, effectiveness of longitudinal field, coupled with, 1083
Detergent, cationic, and trypsin, effect on structure, permeability, and metabolism of *Streptococcus pyogenes* cell, 63

Diffusion and permeation of cations in human and dog erythrocytes, 197
— and permeation of potassium ions in frog muscle, 169
Droplets, protective, and lethal effects of air ions on suspensions of staphylococci in, 359
Drugs, effects, and importance of oxygen supply in transmission in squid giant synapses, 473
— and metabolic inhibitors, effects on ion transport and oxygen consumption in isolated frog skin, 397
Dynamic equilibrium, calculation of transfer rates in two compartment systems not in, 1135

EHRLICH mouse ascites tumor cell, potassium and sodium movements in, 565
Electric, mechano-, sites for conversion in Pacinian corpuscle, 1245
— potential rhythm in protoplasmic streaming of slime mold, *Physarum polycephalum*, statistical analysis, 1205
— potential rhythm in protoplasmic streaming of slime mold, *Physarum polycephalum*, theoretical treatment, 1223
Electrical conductance of rhodopsin solutions, effect of illumination, 857
Electromotive chloride transport and gastric acid secretion in frog, 1035
Electroosmosis in *Nitella*, 383
Electrophysiological study of spectral sensitivities of dorsal ocelli of cockroaches and honeybees, 1171
Embryo development, early chick, γ-butyrobetaine as specific antagonist for carnitine in, 279
Enzymatic degradation and properties of deoxyribonucleoprotein from liver cell nuclei, 595
Enzyme inhibitors, effect on resting potential and on ion distribution of frog sartorius muscle, 879
Enzymic dephosphorylation of pepsin and pepsinogen, 441
Equilibrium, dynamic, calculation of transfer rates in two compartment systems not in, 1135
Erythrocyte membrane, human, exchange rate of tritiated water across, 259
Erythrocytes, glyoxalase activity, relationship of hydrogen peroxide to inhibition by x-radiation, 737
—, human and dog, diffusion and permeation of cations in, 197
—, human, entrance of water under osmotic pressure gradient, 243
— *in vitro*, effect of x-radiation on glutathione metabolism, 725
*Escherichia coli* B infected with T2 bacteriophage ghosts, metabolic studies, 1067
Esters and proteins, simultaneous hydrolyses at saturation levels, 485
Eye, *Limulus*, spatial summation of inhibitory influences in, and mutual interaction of receptor units, 1049

FIBERS, nerve, invertebrate peripheral, water transport in, 927
—, unmedullated, of dorsal root origin, postspike positivity, 613
Fibroblasts, rabbit, strain RM3-56, amino acid requirements, 91
Fish, swim-bladder, secretion of inert gas into, 783
Flexor reflex, input-output relation, 297
Freezing point depression of mammalian tissues after sudden heating in boiling distilled water, 1153

GAS, inert, secretion into fish swim-bladder, 783
Gastric acid secretion and electro-

motive chloride transport in frog, 1035
Gastric mucosa, frog, chloride transport in, 101
Generator processes of repetitive activity in Pacinian corpuscle, 825
— and propagated potentials in Pacinian corpuscle, refractory state, 805
Geniculate nucleus, lateral, cat, analysis of extracellular potentials from single neurons in, 543
Glutathione metabolism of erythrocytes *in vitro*, effect of x-radiation, 725
Glyoxalase activity of erythrocytes, relationship of hydrogen peroxide to inhibition by x-radiation, 737
Growth and growth control, model of, in mathematical terms, 1
— and survival, prolonged, of ovarian tissue of promethea moth, *Callosamia promethea in vitro*, 1027
—, tip, in plant cell, topography, 913

HAEMOPHILUS *influenzae*, ultraviolet-inactivated transforming factor, photoreactivation *in vitro*, 451
Heart muscle, propagated repolarization in, 633
Heating, sudden, in boiling distilled water, freezing point depression of mammalian tissues after, 1153
Hemolysin, radioactive, sodium erucate-$I^{131}$, zone phenomenon and progressive reaction occurring with, 651
—, radioactive, sodium oleate-$I^{131}$, progressive reaction occurring with, 609
*Hemophilus influenzae*. *See Haemophilus influenzae*.
Honeybees and cockroaches, electrophysiological study of spectral sensitivities of dorsal ocelli, 1171
Hydrogen peroxide production by high oxygen pressures, 989
— peroxide, relationship to inhibition of glyoxalase activity of intact erythrocytes by x-radiation, 737
Hydrolyses, simultaneous, of esters and proteins at saturation levels, 485

ILEUM, rats, ion and water fluxes in, 143
Illumination, effect on electrical conductance of rhodopsin solutions, 857
Injection, intraperitoneal, irradiated calcium, disposition in suckling rats, 767
Intraperitoneally injected irradiated calcium, disposition in suckling rats, 767
Invertebrate peripheral nerve fibers, water transport in, 927
Iodine$^{131}$-sodium erucate, radioactive hemolysin, zone phenomenon and progressive reaction occurring with, 651
Iodine$^{131}$-sodium oleate, radioactive hemolysin, progressive reaction occurring with, 609
Ion distribution and resting potential of frog sartorius muscle, effect of enzyme inhibitors, 879
— transport and oxygen consumption in isolated frog skin, effects of metabolic inhibitors and drugs, 397
— and water fluxes in ileum of rats, 143
Ionic movements accompanying activity in frog nerves, effects of potassium, sodium, and azide, 1187
Ions, air, action on bacteria, protective and lethal effects on staphylococci suspensions in droplets, 359
—, external, effects on membrane

potentials of lobster giant axon, 529
Ions, inorganic divalent, renal tubular transport by aglomerular marine teleost, *Lophius americanus*, 429
—, magnesium and manganese, active transport into yeast cell, 585
—, magnesium and manganese, participation of phosphate in carrier formation for transport into yeast cells, 1019
—, potassium, in frog muscle, permeation and diffusion, 169
Irradiated calcium, intraperitoneally injected, disposition in suckling rats, 767

KIDNEY cortical tissue, rat, factors influencing *in vitro* uptake and loss of radiosulfate, 49
— tubular transport of inorganic divalent ions by aglomerular marine teleost, *Lophius americanus*, 429

LIGHT, blue, and regeneration of human rhodopsin *in situ*, 419
—, ultraviolet, far- and near-, and visible light, and x-radiation, response of potassium retentivity and survival of yeast to, 693
Light-induced efficiency and pigment alterations in red algae, 1113
*Limulus*, eye, spatial summation of inhibitory influences in, and mutual interaction of receptor units, 1049
Liver cell nuclei, properties and enzymatic degradation of deoxyribonucleoprotein from, 595
—, regenerating, xanthine oxidase activity in, 233
Livers, rat, incorporation and release of amino acids in particulate preparations from, 219
Lobster giant axon, effects of external ions on membrane potentials, 529
*Lophius americanus*, renal tubular transport of inorganic divalent ions by, 429
Lysis from without of *Staphylococcus aureus* $K_1$ by combined bacteriophage and virolysin action, 343

MAGNESIUM cations and manganese cations, active transport into yeast cell, 585
— cations and manganese cations, participation of phosphate in carrier formation for transport into yeast cells, 1019
Mammalian tissues, freezing point depression after sudden heating in boiling distilled water, 1153
Man, blue light and regeneration of rhodopsin, *in situ*, 419
— and dog, erythrocytes, diffusion and permeation of cations in, 197
—, red cell membrane, exchange rate of tritiated water across, 259
—, red cells, water entrance under osmotic pressure gradient, 243
Manganese cations and magnesium cations, active transport into yeast cell, 585
— cations and magnesium cations, participation of phosphate in carrier formation for transport into yeast cells, 1019
Marine alga, red, *Porphyra perforata*, sodium exclusion and potassium retention, 901
— teleost, *Lophius americanus*, aglomerular, renal tubular transport of inorganic divalent ions by, 429
Mathematical terms, model of growth and growth control, 1
Membrane, human red cell, exchange rate of tritiated water across, 259
— potentials of lobster giant axon, effects of external ions, 529
Metabolic inhibitors and drugs, effects

on ion transport and oxygen consumption in isolated frog skin, 397
Metabolic studies of *Escherichia coli* B infected with T2 bacteriophage ghosts, 1067
Metabolism, glutathione, of erythrocytes *in vitro*, effect of x-radiation, 725
—, respiratory, of normal and divisionless strains of *Candida albicans*, 703
—, structure, and permeability of *Streptococcus pyogenes* cell, effect of trypsin and cationic detergent, 63
Microrespirometer, capillary, modified, 669
Mold, slime, *Physarum polycephalum*, statistical analysis of electric potential rhythm in protoplasmic streaming, 1205
—, slime, *Physarum polycephalum*, theoretical treatment of electric potential rhythm in protoplasmic streaming, 1223
Moth, promethea, *Callosamia promethea*, prolonged growth and survival of ovarian tissue *in vitro*, 1027
Mucosa, gastric, frog, chloride transport in, 101
Muscle, amphibian, distribution of inorganic phosphate, 755
—, frog, permeation and diffusion of potassium ions, 169
—, heart, propagated repolarization in, 633
—, sartorius, frog, effect of enzyme inhibitors on resting potential and on ion distribution, 879
Muscles, twitch, frog, activating, effectiveness of longitudinal field, coupled with depolarization in, 1083
Mutant, carotenoidless, of *Rhodopseudomonas spheroides*, endogenous photosensitization, 1099
Mutants, proportion in bacterial cultures, 119
Mutants, terramycin-resistant, proportion in *Bacillus megatherium* cultures, 131

NERVE fibers, invertebrate peripheral, water transport in, 927
—, optic, statistical analyzer for messages, 675
Nerves, frog, effects of potassium, sodium, and azide on ionic movements accompanying activity in, 1187
—, sciatic, frog, effects of azide and chloretone on sodium and potassium contents and respiration, 959
Neurons, single, in cat lateral geniculate nucleus, analysis of extracellular potentials, 543
*Nitella*, electroosmosis in, 383
Nuclei, liver cell, properties and enzymatic degradation of deoxyribonucleoprotein from, 595
Nucleoprotein, deoxyribo-, from liver cell nuclei, properties and enzymatic degradation, 595
Nucleus, cat lateral geniculate, analysis of extracellular potentials from single neurons in, 543

OCELLI, dorsal, of cockroaches and honeybees, electrophysiological study of spectral sensitivities, 1171
Optic nerve messages, statistical analyzer for, 675
Osmosis, electro-, in *Nitella*, 383
Osmotic pressure gradient, water entrance into human red cells under, 243
Ovarian tissue of promethea moth, *Callosamia promethea*, prolonged growth and survival *in vitro*, 1027
Oxidase activity, xanthine, in regenerating liver, 233
Oxygen consumption and ion transport in isolated frog skin, effects of metabolic inhibitors and drugs, 397

Oxygen pressures, high, production of hydrogen peroxide by, 989
— supply and effects of drugs in transmission in squid giant synapses, 473

PACINIAN corpuscle, facilitation by previous activity in, 847
— corpuscle, generator processes of repetitive activity in, 825
— corpuscle, refractory state of generator and propagated potentials in, 805
— corpuscle, sites for mechano-electric conversion in, 1245
Pepsin and pepsinogen, enzymic dephosphorylation, 441
Pepsinogen and pepsin, enzymic dephosphorylation, 441
Permeability, structure, and metabolism of *Streptococcus pyogenes* cell, effect of trypsin and cationic detergent, 63
Permeation and diffusion of cations in human and dog erythrocytes, 197
— and diffusion of potassium ions in frog muscle, 169
Peroxide, hydrogen, production by high oxygen pressures, 989
—, hydrogen, relationship to inhibition of glyoxalase activity of erythrocytes by x-radiation, 737
Phage. *See* Bacteriophage.
Phosphate, inorganic, in amphibian muscle, distribution, 755
— participation in carrier formation for transport of magnesium cations and manganese cations into yeast cells, 1019
Photoreactivation *in vitro* of ultraviolet-inactivated *Haemophilus influenzae* transforming factor, 451
Photosensitization, endogenous, in carotenoidless mutant of *Rhodopseudomonas spheroides*, 1099
Phycobilins from *Porphyra naiadum*, properties, 77
*Physarum polycephalum*, statistical analysis of electric potential rhythm in protoplasmic streaming, 1205
*Physarum polycephalum*, theoretical treatment of electric potential rhythm in protoplasmic streaming, 1223
Pigment alterations and light-induced efficiency in red algae, 1113
Plant cell, topography of tip growth, 913
*Porphyra naiadum*, properties of phycobilins from, 77
— *perforata*, red marine alga, sodium exclusion and potassium retention, 901
Potassium ions in frog muscle, permeation and diffusion, 169
— retention and sodium exclusion by red marine alga, *Porphyra perforata*, 901
— retentivity and yeast survival, response to far-ultraviolet, near-ultraviolet and visible, and x-radiation, 693
—, sodium, and azide, effects on ionic movements accompanying activity in frog nerves, 1187
— and sodium contents and respiration of frog sciatic nerves, effects of azide and chloretone, 959
— and sodium movements in Ehrlich mouse ascites tumor cell, 565
—, temperature, and sodium, effect on conductance change accompanying action potential in squid giant axon, 333
Potential, action, in squid giant axon, effect of temperature, potassium, and sodium on conductance change accompanying, 333
—, resting, and ion distribution of frog sartorius muscle, effect of enzyme inhibitors, 879
— rhythm, electric, in protoplasmic streaming of slime mold, *Physarum polycephalum*, statistical analysis, 1205
— rhythm, electric, in protoplasmic streaming of slime mold, *Physarum*

*polycephalum*, theoretical treatment, 1223
Potential, synaptic, in crayfish motor giant axon, 1119
Potentials, extracellular, from single neurons in cat lateral geniculate nucleus, analysis, 543
—, membrane, of lobster giant axon, effects of external ions, 529
—, propagated, and generator, in Pacinian corpuscle, refractory state, 805
Potentiation, early post-tetanic, and low frequency depression of some group I reflex actions, 1005
Pressure gradient, osmotic, entrance of water into human red cells under, 243
Pressures, high oxygen, production of hydrogen peroxide by, 989
Promethea moth, *Callosamia promethea*, prolonged growth and survival of ovarian tissue *in vitro*, 1027
Protein coats or ghosts of coliphage T2, biological functions, 307
— coats or ghosts of coliphage T2, metabolic studies of *Escherichia coli* B infected with T2 bacteriophage ghosts, 1067
— synthesis *in vitro*, incorporation and release of amino acids in particulate preparations from rat livers, 219
Proteins and esters, simultaneous hydrolyses at saturation levels, 485
Protoplasmic streaming of slime mold, *Physarum polycephalum*, statistical analysis of electric potential rhythm, 1205
— streaming of slime mold, *Physarum polycephalum*, theoretical treatment of electric potential rhythm, 1223

RADIOACTIVE hemolysin, sodium erucate-$I^{131}$, zone phenomenon and progressive reaction occurring with, 651
Radioactive hemolysin, sodium oleate-$I^{131}$, progressive reaction occurring with, 609
Radiosulfate uptake and loss by rat renal cortical tissue *in vitro*, factors influencing, 49
Receptor units in *Limulus* eye, mutual interaction and spatial summation of inhibitory influences, 1049
Reflex actions, group I, early post-tetanic potentiation and low frequency depression of, 1005
—, flexor, input-output relation, 297
Renal. *See* Kidney.
Repolarization, propagated, in heart muscle, 633
Resistant, terramycin-, mutants, proportion in *Bacillus megatherium* cultures, 131
Respiration and sodium and potassium contents of frog sciatic nerves, effects of azide and chloretone, 959
Respiratory metabolism of normal and divisionless strains of *Candida albicans*, 703
Respirometer, micro-, capillary, modified, 669
*Rhodopseudomonas spheroides*, endogenous photosensitization in carotenoidless mutant, 1099
Rhodopsin, human, blue light and regeneration *in situ*, 419
— solutions, effect of illumination on electrical conductance, 857
— system of squid, 501
Ribonucleoprotein, deoxy-, from liver cell nuclei, properties and enzymatic degradation, 595
Roentgen rays, effect on glutathione metabolism of erythrocytes *in vitro*, 725
— rays, relationship of hydrogen peroxide to inhibition of glyoxalase activity of erythrocytes by, 737
— rays, response of potassium retentivity and yeast survival to far-

ultraviolet, near-ultraviolet and visible, and, 693
Root origin, dorsal, postspike positivity of unmedullated fibers of, 613

SARTORIUS muscle, frog, effect of enzyme inhibitors on resting potential and on ion distribution, 879
Sciatic nerves, frog, effects of azide and chloretone on sodium and potassium contents and respiration, 959
Secretion, gastric acid, and electromotive chloride transport in frog, 1035
— of inert gas into fish swim-bladder, 783
Sensitivities, spectral, of dorsal ocelli of cockroaches and honeybees, electrophysiological study, 1171
Skin cholinesterase, frog, characterization and localization, 1129
—, frog, isolated, effects of metabolic inhibitors and drugs on ion transport and oxygen consumption in, 397
Slime mold, *Physarum polycephalum*, statistical analysis of electric potential rhythm in protoplasmic streaming, 1205
— mold, *Physarum polycephalum*, theoretical treatment of electric potential rhythm in protoplasmic streaming, 1223
Sodium erucate-$I^{131}$, radioactive hemolysin, zone phenomenon and progressive reaction occurring with, 651
— exclusion and potassium retention by red marine alga, *Porphyra perforata*, 901
— oleate-$I^{131}$, radioactive hemolysin, progressive reaction occurring with, 609
—, potassium, and azide, effects on ionic movements accompanying activity in frog nerves, 1187
— and potassium contents and respiration of frog sciatic nerves, effects of azide and chloretone, 959
Sodium and potassium movements in Ehrlich mouse ascites tumor cell, 565
—, temperature, and potassium, effect on conductance change accompanying action potential in squid giant axon, 333
— transport, active, by isolated toad bladder, 657
Solutions, rhodopsin, effect of illumination on electrical conductance, 857
Spatial summation of inhibitory influences in *Limulus* eye and mutual interaction of receptor units, 1049
Spectral sensitivities of dorsal ocelli of cockroaches and honeybees, electrophysiological study, 1171
Squid giant axon, effect of temperature, potassium, and sodium on conductance change accompanying action potential in, 333
— giant synapses, importance of oxygen supply and effects of drugs in transmission in, 473
—, rhodopsin system, 501
Staphylococci suspensions in droplets, protective and lethal effects of air ions, 359
*Staphylococcus aureus* $K_1$, lysis from without by combined bacteriophage and virolysin action, 343
Statistical analysis of electric potential rhythm in protoplasmic streaming of slime mold, *Physarum polycephalum*, 1205
— analyzer for optic nerve messages, 675
*Streptococcus pyogenes* cell, structure, permeability, and metabolism, effect of trypsin and cationic detergent, 63
Sulfate, radio-, factors influencing *in vitro* uptake and loss by rat renal cortical tissue, 49

Swim-bladder, fish, secretion of inert gas into, 783
Synapses, squid giant, importance of oxygen supply and effects of drugs in transmission in, 473
Synaptic potential in crayfish motor giant axon, 1119

TELEOST, marine, *Lophius americanus*, aglomerular, renal tubular transport of inorganic divalent ions by, 429
Temperature, potassium, and sodium, effect on conductance change accompanying action potential in squid giant axon, 333
Terramycin-resistant mutants, proportion in *Bacillus megatherium* cultures, 131
Tip growth in plant cell, topography, 913
Tissue, ovarian, of promethea moth, *Callosamia promethea*, prolonged growth and survival *in vitro*, 1027
—, renal cortical, rat, factors influencing *in vitro* uptake and loss of radiosulfate, 49
Tissues, mammalian, freezing point depression after sudden heating in boiling distilled water, 1153
Toad bladder, isolated, active sodium transport by, 657
Topography of tip growth in plant cell, 913
Transfer rates, calculation in two compartment systems not in dynamic equilibrium, 1135
Transmission in squid giant synapses, importance of oxygen supply and effects of drugs, 473
Transport, active, of magnesium cations and manganese cations into yeast cell, 585
—, chloride, electromotive, and gastric acid secretion in frog, 1035
—, chloride, in frog gastric mucosa, 101
—, ion, and oxygen consumption in isolated frog skin, effects of metabolic inhibitors and drugs, 397
Transport of magnesium cations and manganese cations into yeast cells, participation of phosphate in carrier formation for, 1019
—, renal tubular, of inorganic divalent ions by aglomerular marine teleost, *Lophius americanus*, 429
—, sodium, active, by isolated toad bladder, 657
—, uphill, induced by counterflow, 289
—, water, in invertebrate peripheral nerve fibers, 927
Tritiated water, exchange rate across human red cell membrane, 259
Trypsin and cationic detergent, effect on structure, permeability, and metabolism of *Streptococcus pyogenes* cell, 63
Tubular transport, renal, of inorganic divalent ions by aglomerular marine teleost, *Lophius americanus*, 429
Tumor cell, Ehrlich mouse ascites, potassium and sodium movements in, 565

ULTRAVIOLET light, far- and near-, and visible light, and x-radiation, response of potassium retentivity and yeast survival to, 693
Ultraviolet-inactivated *Haemophilus influenzae* transforming factor, photoreactivation *in vitro*, 451

VIROLYSIN and bacteriophage, lysis from without of *Staphylococcus aureus* $K_1$ by combined action, 343

WATER, distilled, boiling, freezing point depression of mammalian tissues after sudden heating in, 1153
— entrance into human red cells under osmotic pressure gradient, 243

Water and ion fluxes in ileum of rats, 143
— transport in invertebrate peripheral nerve fibers, 927
—, tritiated, exchange rate across human red cell membrane, 259

XANTHINE oxidase activity in regenerating liver, 233
X-rays. *See* Roentgen rays.

YEAST cell, active transport of magnesium cations and manganese cations into, 585
— cells, participation of phosphate in carrier formation for transport of magnesium cations and manganese cations into, 1019
— survival and potassium retentivity, response to far-ultraviolet, near-ultraviolet and visible, and x-radiation, 693